

Making Design Perform



www.technigroup.com.sg



Y2

SIMPLICITY IS ALWAYS IN STYLE

Intro duction

Y2 is designed for the way we work.

Engineered on the principle of simplicity and clean lines, Y2 provides designer aesthetics with outstanding durability.


Simplicity Durability

Desire for simplicity – a return to more thoughtful, elegant slim lines, simple, utilitarian and timeless design, Y2 is for you.

A version of modernism, form strictly follows function. A system for lasting quality, durability and value. A complete line that adapts to everyday office needs.




Understanding Y2



The "Slot Hook" concept provides that all the components are assembled by hooking together quickly and simply.

Highlighting Design



Concealable Cable Inlet

The flip door cover conceal unsightly cables enhancing system aesthetics.

Slot In Screen

Select from four screen options to meet the need, Tackable Fabric, Tackable Fabric Rail, Magnetic White Board or Acrylic Screen.

Work Top

18mm thick European E1 grade melamine-faced particle board with 3mm thick impact resistant PVC edging. Finishes are scratch and abrasion resistant.

High Strength Cast Leg

Qualified by rigorous design. It is made using highest quality material ACD12 and accurate industrial processes. With an emphasis on cast aluminium, it is up to 98 percent recyclable.

Vertical Cable Management

Removable side panel access for both power and data connection. A lay on wire management.

Frame Structural

38mm square hollow section steel for high torsion, rigidity strength. Steel are treated and power coated to a minimum 50 microns.

Hook On Modesty

The hook on underworktop modesty screen is made of durable, treated metal sheet and power coated to a minimum 50 microns.

Horizontal Cable Management


Under mounted raceway is designed to keep cables out of view and protect them from external tampering.



CENTRALISED CABLE MANAGEMENT




CONCEALABLE CABLE INLET



UNDERDESK CABLE TRAY



HOOK-ON MODESTY SCREEN




SLOT-IN TABLE SCREEN



HIGH STRENGTH CAST LEG

Bench Workstation

Linear is designed for different applications and can grow with your office's changing needs.



Cluster of 2 workstation features

WORK TOP:
White with black edging

FABRIC SCREEN:
Fluorescent blue

Work top partition screen panels (Slot in concept)

Available in several designs and in a variety of colors.



Tackable fabric screen



Tackable screen with accessory rail



Magnetic white board screen



Acrylic screen

Ordering Codes Y2

The beauty and simplicity of the Y2 system extends its appearance. The system is easy to order and assemble.

HOW TO ORDER?

- STEP 1: Select the Work Top size (includes frames with centralised cable trunking, cable tray and legs)
 STEP 2: Select the Work Top Screen
 STEP 3: Select Modesty Screen (optional)
 STEP 4: Select Side Screen (optional)
 STEP 5: Select accessories and storage (optional) can be found in "Standard Parts"

PRODUCT CODES

TABLE TOP

Y2-2-W106-ETD-ML/LM 1050 x 600 Y2-2-W126-ETD-ML/LM 1200 x 600 Y2-2-W136-ETD-ML/LM 1350 x 600 Y2-2-W156-ETD-ML/LM 1500 x 600 Y2-2-W166-ETD-ML/LM 1650 x 600 Y2-2-W186-ETD-ML/LM 1800 x 600



Y2-2-W107-ETD-ML/LM 1050 x 750 Y2-2-W127-ETD-ML/LM 1200 x 750 Y2-2-W137-ETD-ML/LM 1350 x 750 Y2-2-W157-ETD-ML/LM 1500 x 750 Y2-2-W167-ETD-ML/LM 1650 x 750 Y2-2-W187-ETD-ML/LM 1800 x 750



Y2-2-W108-ETD-ML/LM 1050 x 800 Y2-2-W128-ETD-ML/LM 1200 x 800 Y2-2-W138-ETD-ML/LM 1350 x 800 Y2-2-W158-ETD-ML/LM 1500 x 800 Y2-2-W168-ETD-ML/LM 1650 x 800 Y2-2-W188-ETD-ML/LM 1800 x 800



TABLE TOP SCREEN

Tackable Fabric Screen
FTS 1100mm

Y2-WPTS1004TF For table length 1050 Y2-WPTS1204TF For table length 1200 Y2-WPTS1304TF For table length 1350
 Y2-WPTS1504TF For table length 1500 Y2-WPTS1604TF For table length 1650 Y2-WPTS1804TF For table length 1800

Tackable Fabric Screen
FTS 1200mm

Y2-WPTS1005TF For table length 1050 Y2-WPTS1205TF For table length 1200 Y2-WPTS1305TF For table length 1350
 Y2-WPTS1505TF For table length 1500 Y2-WPTS1605TF For table length 1650 Y2-WPTS1805TF For table length 1800

Tackable Fabric Screen
FTS 1100mm (Table end to end)

Y2-WPTSBEF1004TF For table length 1050 Y2-WPTSBEF1204TF For table length 1200 Y2-WPTSBEF1304TF For table length 1350
 Y2-WPTSBEF1504TF For table length 1500 Y2-WPTSBEF1604TF For table length 1650 Y2-WPTSBEF1804TF For table length 1800

Tackable Fabric Screen
FTS 1200mm (Table end to end)

Y2-WPTSBEF1005TF For table length 1050 Y2-WPTSBEF1205TF For table length 1200 Y2-WPTSBEF1305TF For table length 1350
 Y2-WPTSBEF1505TF For table length 1500 Y2-WPTSBEF1605TF For table length 1650 Y2-WPTSBEF1805TF For table length 1800

Tackable Fabric With Accessory Rail Screen
FTS 1100mm

Y2-WPTS1004A09TF For table length 1050 Y2-WPTS1204A09TF For table length 1200 Y2-WPTS1304A09TF For table length 1350
 Y2-WPTS1504A09TF For table length 1500 Y2-WPTS1604A09TF For table length 1650 Y2-WPTS1804A09TF For table length 1800

Tackable Fabric With Accessory Rail Screen
FTS 1200mm

Y2-WPTS1005A09TF For table length 1050 Y2-WPTS1205A09TF For table length 1200 Y2-WPTS1305A09TF For table length 1350
 Y2-WPTS1505A09TF For table length 1500 Y2-WPTS1605A09TF For table length 1650 Y2-WPTS1805A09TF For table length 1800

Tackable Fabric With Accessory Rail Screen
FTS 1100mm (Table end to end)

Y2-WPTSBEF1004A09TF For table length 1050 Y2-WPTSBEF1204A09TF For table length 1200 Y2-WPTSBEF1304A09TF For table length 1350
 Y2-WPTSBEF1504A09TF For table length 1500 Y2-WPTSBEF1604A09TF For table length 1650 Y2-WPTSBEF1804A09TF For table length 1800

Tackable Fabric With Accessory Rail Screen
FTS 1200mm (Table end to end)

Y2-WPTSBEF1005A09TF For table length 1050 Y2-WPTSBEF1205A09TF For table length 1200 Y2-WPTSBEF1305A09TF For table length 1350
 Y2-WPTSBEF1505A09TF For table length 1500 Y2-WPTSBEF1605A09TF For table length 1650 Y2-WPTSBEF1805A09TF For table length 1800

Magnetic White Board
FTS 1100mm

Y2-MWBTS1004 For table length 1050 Y2-MWBTS1204 For table length 1200 Y2-MWBTS1304 For table length 1350
 Y2-MWBTS1504 For table length 1500 Y2-MWBTS1604 For table length 1650 Y2-MWBTS1804 For table length 1800

Magnetic White Board
FTS 1200mm

Y2-MWBTS1005 For table length 1050 Y2-MWBTS1205 For table length 1200 Y2-MWBTS1305 For table length 1350
 Y2-MWBTS1505 For table length 1500 Y2-MWBTS1605 For table length 1650 Y2-MWBTS1805 For table length 1800

Magnetic White Board
FTS 1100mm (Table end to end)

Y2-MWBTFEF1004 For table length 1050 Y2-MWBTFEF1204 For table length 1200 Y2-MWBTFEF1304 For table length 1350
 Y2-MWBTFEF1504 For table length 1500 Y2-MWBTFEF1604 For table length 1650 Y2-MWBTFEF1804 For table length 1800

Magnetic White Board
FTS 1200mm (Table end to end)

Y2-MWBTFEF1005 For table length 1050 Y2-MWBTFEF1205 For table length 1200 Y2-MWBTFEF1305 For table length 1350
 Y2-MWBTFEF1505 For table length 1500 Y2-MWBTFEF1605 For table length 1650 Y2-MWBTFEF1805 For table length 1800

Acrylic Screen Board
FTS 1100mm

Y2-ABTS1004 For table length 1050 Y2-ABTS1204 For table length 1200 Y2-ABTS1304 For table length 1350
 Y2-ABTS1504 For table length 1500 Y2-ABTS1604 For table length 1650 Y2-ABTS1804 For table length 1800

Acrylic Screen Board
FTS 1200mm

Y2-ABTS1005 For table length 1050 Y2-ABTS1205 For table length 1200 Y2-ABTS1305 For table length 1350
 Y2-ABTS1505 For table length 1500 Y2-ABTS1605 For table length 1650 Y2-ABTS1805 For table length 1800

Acrylic Screen Board
FTS 1100mm (Table end to end)

Y2-ABTSEF1004 For table length 1050 Y2-ABTSEF1204 For table length 1200 Y2-ABTSEF1304 For table length 1350
 Y2-ABTSEF1504 For table length 1500 Y2-ABTSEF1604 For table length 1650 Y2-ABTSEF1804 For table length 1800

Acrylic Screen Board
FTS 1200mm (Table end to end)

Y2-ABTSEF1005 For table length 1050 Y2-ABTSEF1205 For table length 1200 Y2-ABTSEF1305 For table length 1350
 Y2-ABTSEF1505 For table length 1500 Y2-ABTSEF1605 For table length 1650 Y2-ABTSEF1805 For table length 1800

MODESTY SCREEN

Modesty Screen

Y2-MMS10 For table length 1050 Y2-MMS12 For table length 1200 Y2-MMS13 For table length 1350 Y2-MMS15 For table length 1500 Y2-MMS16 For table length 1600 Y2-MMS16 For table length 1800

SIDE SCREEN

Side Screen
FTS 1100mm



Y2-TTMSE1209FTF For table length 1200 Y2-TTMSE1509FTF For table length 1500 Y2-TTMSE1809FTF For table length 1800

Side Screen
FTS 1200mm

Y2-TTMSE1210FTF For table length 1200 Y2-TTMSE1510FTF For table length 1500 Y2-TTMSE1810FTF For table length 1800

Bench Workstation

Linear is designed for different applications and can grow with your office's changing needs.



Cluster of 4 workstation features

- WORK TOP
White with black edging
- FABRIC SCREEN
Fluorescent blue

Work top partition screen panels (Slot in concept)

Available in several designs and in a variety of colors.



Tackable fabric screen



Tackable screen with accessory rail



Magnetic white board screen



Acrylic screen

Benching applications help cultivate collaborative environments that improve information sharing. Middle tucks away legs in centralised trunking design keep the area under the worksurface clutter free. Worksurface slot in screens provide a degree of privacy while supporting working as one or in a group.



Divider screen is a space separation element with clean uncluttered modern lines that play with contrasts and transparency.



Meeting Workspace

By removing the table top screen, the bench workstation transform into a meeting workspace, adding to flexibility.



Ordering Codes Y2

The beauty and simplicity of the Y2 system extends its appearance. The system is easy to order and assemble.

HOW TO ORDER?

- STEP 1: Select the Work Top size (includes frames with centralised cable trunking, cable tray and legs)
- STEP 2: Select the Work Top Screen
- STEP 3: Select Modesty Screen (optional)
- STEP 4: Select Side Screen (optional)
- STEP 5: Select Divider Screen (optional)
- STEP 6: Select accessories and storage (optional) can be found in "Standard Parts"

PRODUCT CODES

TABLE TOP




TABLE TOP SCREEN

Tackable Fabric Screen FTS 1100mm			Tackable Fabric Screen FTS 1200mm		
Y2-WPTS1004TF For table length 1050	Y2-WPTS1204TF For table length 1200	Y2-WPTS1304TF For table length 1350	Y2-WPTS1005TF For table length 1050	Y2-WPTS1205TF For table length 1200	Y2-WPTS1305TF For table length 1350
Y2-WPTS1504TF For table length 1500	Y2-WPTS1604TF For table length 1650	Y2-WPTS1804TF For table length 1800	Y2-WPTS1505TF For table length 1500	Y2-WPTS1605TF For table length 1650	Y2-WPTS1805TF For table length 1800
Tackable Fabric Screen FTS 1100mm (Table end to end)			Tackable Fabric Screen FTS 1200mm (Table end to end)		
Y2-WPTSBEF1004TF For table length 1050	Y2-WPTSBEF1204TF For table length 1200	Y2-WPTSBEF1304TF For table length 1350	Y2-WPTSBEF1005TF For table length 1050	Y2-WPTSBEF1205TF For table length 1200	Y2-WPTSBEF1305TF For table length 1350
Y2-WPTSBEF1504TF For table length 1500	Y2-WPTSBEF1604TF For table length 1650	Y2-WPTSBEF1804TF For table length 1800	Y2-WPTSBEF1505TF For table length 1500	Y2-WPTSBEF1605TF For table length 1650	Y2-WPTSBEF1805TF For table length 1800
Tackable Fabric With Accessory Rail Screen FTS 1100mm			Tackable Fabric With Accessory Rail Screen FTS 1200mm		
Y2-WPTS1004A09TF For table length 1050	Y2-WPTS1204A09TF For table length 1200	Y2-WPTS1304A09TF For table length 1350	Y2-WPTS1005A09TF For table length 1050	Y2-WPTS1205A09TF For table length 1200	Y2-WPTS1305A09TF For table length 1350
Y2-WPTS1504A09TF For table length 1500	Y2-WPTS1604A09TF For table length 1650	Y2-WPTS1804A09TF For table length 1800	Y2-WPTS1505A09TF For table length 1500	Y2-WPTS1605A09TF For table length 1650	Y2-WPTS1805A09TF For table length 1800

Tackable Fabric With Accessory Rail Screen FTS 1100mm (Table end to end)			Tackable Fabric With Accessory Rail Screen FTS 1200mm (Table end to end)		
Y2-WPTSBEF1004A09TF For table length 1050	Y2-WPTSBEF1204A09TF For table length 1200	Y2-WPTSBEF1304A09TF For table length 1350	Y2-WPTSBEF1005A09TF For table length 1050	Y2-WPTSBEF1205A09TF For table length 1200	Y2-WPTSBEF1305A09TF For table length 1350
Y2-WPTSBEF1504A09TF For table length 1500	Y2-WPTSBEF1604A09TF For table length 1650	Y2-WPTSBEF1804A09TF For table length 1800	Y2-WPTSBEF1505A09TF For table length 1500	Y2-WPTSBEF1605A09TF For table length 1650	Y2-WPTSBEF1805A09TF For table length 1800
Magnetic White Board FTS 1100mm			Magnetic White Board FTS 1200mm		
Y2-MWBTS1004 For table length 1050	Y2-MWBTS1204 For table length 1200	Y2-MWBTS1304 For table length 1350	Y2-MWBTS1005 For table length 1050	Y2-MWBTS1205 For table length 1200	Y2-MWBTS1305 For table length 1350
Y2-MWBTS1504 For table length 1500	Y2-MWBTS1604 For table length 1650	Y2-MWBTS1804 For table length 1800	Y2-MWBTS1505 For table length 1500	Y2-MWBTS1605 For table length 1650	Y2-MWBTS1805 For table length 1800
Magnetic White Board FTS 1100mm (Table end to end)			Magnetic White Board FTS 1200mm (Table end to end)		
Y2-MWBTFEF1004 For table length 1050	Y2-MWBTFEF1204 For table length 1200	Y2-MWBTFEF1304 For table length 1350	Y2-MWBTFEF1005 For table length 1050	Y2-MWBTFEF1205 For table length 1200	Y2-MWBTFEF1305 For table length 1350
Y2-MWBTFEF1504 For table length 1500	Y2-MWBTFEF1604 For table length 1650	Y2-MWBTFEF1804 For table length 1800	Y2-MWBTFEF1505 For table length 1500	Y2-MWBTFEF1605 For table length 1650	Y2-MWBTFEF1805 For table length 1800
Acrylic Screen Board FTS 1100mm			Acrylic Screen Board FTS 1200mm		
Y2-ABTS1004 For table length 1050	Y2-ABTS1204 For table length 1200	Y2-ABTS1304 For table length 1350	Y2-ABTS1005 For table length 1050	Y2-ABTS1205 For table length 1200	Y2-ABTS1305 For table length 1350
Y2-ABTS1504 For table length 1500	Y2-ABTS1604 For table length 1650	Y2-ABTS1804 For table length 1800	Y2-ABTS1505 For table length 1500	Y2-ABTS1605 For table length 1650	Y2-ABTS1805 For table length 1800
Acrylic Screen Board FTS 1100mm (Table end to end)			Acrylic Screen Board FTS 1200mm (Table end to end)		
Y2-ABTFEF1004 For table length 1050	Y2-ABTFEF1204 For table length 1200	Y2-ABTFEF1304 For table length 1350	Y2-ABTFEF1005 For table length 1050	Y2-ABTFEF1205 For table length 1200	Y2-ABTFEF1305 For table length 1350
Y2-ABTFEF1504 For table length 1500	Y2-ABTFEF1604 For table length 1650	Y2-ABTFEF1804 For table length 1800	Y2-ABTFEF1505 For table length 1500	Y2-ABTFEF1605 For table length 1650	Y2-ABTFEF1805 For table length 1800

MODESTY SCREEN

Modesty Screen					
Y2-MMS10 For table length 1050	Y2-MMS12 For table length 1200	Y2-MMS13 For table length 1350	Y2-MMS15 For table length 1500	Y2-MMS16 For table length 1600	Y2-MMS18 For table length 1800

DIVIDER SCREEN

Divider Screen FTS 1100mm			Divider Screen FTS 1200mm		
Y2-WPTDAS0603TF For table width 600	Y2-WPTDAS0703TF For table width 750	Y2-WPTDAS0803TF For table width 800	Y2-WPTDAS0604TF For table width 600	Y2-WPTDAS0704TF For table width 750	Y2-WPTDAS0804TF For table width 800


SIDE SCREEN

Side Screen FTS 1100mm			Side Screen FTS 1200mm		
Y2-TTMSE1209TF For table length 1200	Y2-TTMSE1509TF For table length 1500	Y2-TTMSE1809TF For table length 1800	Y2-TTMSE1210TF For table length 1200	Y2-TTMSE1510TF For table length 1500	Y2-TTMSE1810TF For table length 1800

FTS: Floor to screen height

Bench Workstation

Linear is designed for different applications and can grow with your office's changing needs.



Cluster of 6 workstation features

- WORK TOP
White with black trap door with white edging
- FABRIC SCREEN
Fluorescent blue
- PEDESTAL
3 drawers mobile pedestal

Work top partition screen panels (Slot in concept) Available in several designs and in a variety of colors.



Tackable fabric screen



Tackable screen with accessory rail



Magnetic white board screen



Acrylic screen

Ordering Codes Y2

The beauty and simplicity of the Y2 system extends its appearance. The system is easy to order and assemble.

HOW TO ORDER?

- STEP 1: Select the Work Top size (includes frames with centralised cable trunking, cable tray and legs)
 STEP 2: Select the Work Top Screen
 STEP 3: Select Modesty Screen (optional)
 STEP 4: Select Side Screen (optional)
 STEP 5: Select Divider Screen (optional)
 STEP 6: Select accessories and storage (optional) can be found in "Standard Parts"

PRODUCT CODES

TABLE TOP





TABLE TOP SCREEN



MODESTY SCREEN



DIVIDER SCREEN



SIDE SCREEN




FTS: Floor to screen height



Form & Function

90 deg T Workstation

The team 90 degrees T workstation offers a modern and roomy alternative to the cubicle lifestyle.



Cluster of 2 workstation features

- WORK TOP
White with black edging
- FABRIC SCREEN
Red

Work top partition screen panels (Slot in concept)

Available in several designs and in a variety of colors.



Tackable fabric screen



Tackable screen with accessory rail



Magnetic white board screen



Acrylic screen

Ordering Codes Y2

The beauty and simplicity of the Y2 system extends its appearance. The system is easy to order and assemble.

HOW TO ORDER?

- STEP 1: Select the Work Top size (includes frames with centralised cable trunking, cable tray and legs)
- STEP 2: Select the Work Top Screen
- STEP 3: Select Modesty Screen (optional)
- STEP 4: Select Side Screen (optional)
- STEP 5: Select accessories and storage (optional) can be found in "Standard Parts"

PRODUCT CODES

TABLE TOP




TABLE TOP SCREEN

Tackable Fabric Screen FTS 1100mm			Tackable Fabric Screen FTS 1200mm		
Y2-WPTSB1204TF For table length 1200	Y2-WPTSB1304TF For table length 1350	Y2-WPTSB1504TF For table length 1500	Y2-WPTSB1205TF For table length 1200	Y2-WPTSB1305TF For table length 1350	Y2-WPTSB1505TF For table length 1500
Y2-WPTSB1604TF For table length 1650	Y2-WPTSB1804TF For table length 1800		Y2-WPTSB1605TF For table length 1650	Y2-WPTSB1805TF For table length 1800	
Tackable Fabric Screen FTS 1100mm (Table end to end)			Tackable Fabric Screen FTS 1200mm (Table end to end)		
Y2-WPTSBEF1204TF For table length 1200	Y2-WPTSBEF1304TF For table length 1350	Y2-WPTSBEF1504TF For table length 1500	Y2-WPTSBEF1205TF For table length 1200	Y2-WPTSBEF1305TF For table length 1350	Y2-WPTSBEF1505TF For table length 1500
Y2-WPTSBEF1604TF For table length 1650	Y2-WPTSBEF1804TF For table length 1800		Y2-WPTSBEF1605TF For table length 1650	Y2-WPTSBEF1805TF For table length 1800	

Tackable Fabric With Accessory Rail Screen FTS 1100mm		
Y2-WPTSB1204A09TF For table length 1200	Y2-WPTSB1304A09TF For table length 1350	Y2-WPTSB1504A09TF For table length 1500
Y2-WPTSB1604A09TF For table length 1650	Y2-WPTSB1804A09TF For table length 1800	

Tackable Fabric With Accessory Rail Screen FTS 1200mm		
Y2-WPTSB1205A09TF For table length 1200	Y2-WPTSB1305A09TF For table length 1350	Y2-WPTSB1505A09TF For table length 1500
Y2-WPTSB1605A09TF For table length 1650	Y2-WPTSB1805A09TF For table length 1800	

Tackable Fabric With Accessory Rail Screen FTS 1100mm (Table end to end)		
Y2-WPTSBEF1204A09TF For table length 1200	Y2-WPTSBEF1304A09TF For table length 1350	Y2-WPTSBEF1504A09TF For table length 1500
Y2-WPTSBEF1604A09TF For table length 1650	Y2-WPTSBEF1804A09TF For table length 1800	

Tackable Fabric With Accessory Rail Screen FTS 1200mm (Table end to end)		
Y2-WPTSBEF1205A09TF For table length 1200	Y2-WPTSBEF1305A09TF For table length 1350	Y2-WPTSBEF1505A09TF For table length 1500
Y2-WPTSBEF1605A09TF For table length 1650	Y2-WPTSBEF1805A09TF For table length 1800	

Magnetic White Board FTS 1100mm		
Y2-MWBTS1204 For table length 1200	Y2-MWBTS1304 For table length 1350	Y2-MWBTS1504 For table length 1500
Y2-MWBTS1604 For table length 1650	Y2-MWBTS1804 For table length 1800	

Magnetic White Board FTS 1200mm		
Y2-MWBTS1205 For table length 1200	Y2-MWBTS1305 For table length 1350	Y2-MWBTS1505 For table length 1500
Y2-MWBTS1605 For table length 1650	Y2-MWBTS1805 For table length 1800	

Magnetic White Board FTS 1100mm (Table end to end)		
Y2-MWBTFEF1204 For table length 1200	Y2-MWBTFEF1304 For table length 1350	Y2-MWBTFEF1504 For table length 1500
Y2-MWBTFEF1604 For table length 1650	Y2-MWBTFEF1804 For table length 1800	

Magnetic White Board FTS 1200mm (Table end to end)		
Y2-MWBTFEF1205 For table length 1200	Y2-MWBTFEF1305 For table length 1350	Y2-MWBTFEF1505 For table length 1500
Y2-MWBTFEF1605 For table length 1650	Y2-MWBTFEF1805 For table length 1800	

Acrylic Screen Board FTS 1100mm		
Y2-ABTS1204 For table length 1200	Y2-ABTS1304 For table length 1350	Y2-ABTS1504 For table length 1500
Y2-ABTS1604 For table length 1650	Y2-ABTS1804 For table length 1800	

Acrylic Screen Board FTS 1200mm		
Y2-ABTS1205 For table length 1200	Y2-ABTS1305 For table length 1350	Y2-ABTS1505 For table length 1500
Y2-ABTS1605 For table length 1650	Y2-ABTS1805 For table length 1800	

Acrylic Screen Board FTS 1100mm (Table end to end)		
Y2-ABTFEF1204 For table length 1200	Y2-ABTFEF1304 For table length 1350	Y2-ABTFEF1504 For table length 1500
Y2-ABTFEF1604 For table length 1650	Y2-ABTFEF1804 For table length 1800	

Acrylic Screen Board FTS 1200mm (Table end to end)		
Y2-ABTFEF1205 For table length 1200	Y2-ABTFEF1305 For table length 1350	Y2-ABTFEF1505 For table length 1500
Y2-ABTFEF1605 For table length 1650	Y2-ABTFEF1805 For table length 1800	

MODESTY SCREEN


Modesty Screen				
Y2-MMS12 For table length 1200	Y2-MMS13 For table length 1350	Y2-MMS15 For table length 1500	Y2-MMS16 For table length 1650	Y2-MMS18 For table length 1800

SIDE SCREEN

Side Screen FTS 1100mm			Side Screen FTS 1200mm		
Y2-TTMSE1209FTF For table length 1200	Y2-TTMSE1309FTF For table length 1350	Y2-TTMSE1509FTF For table length 1500	Y2-TTMSE1210FTF For table length 1200	Y2-TTMSE1310FTF For table length 1350	Y2-TTMSE1510FTF For table length 1500
Y2-TTMSE1609FTF For table length 1650	Y2-TTMSE1809FTF For table length 1800		Y2-TTMSE1610FTF For table length 1650	Y2-TTMSE1810FTF For table length 1800	

90 deg Workstation

The cross 90 degrees workstation offers a modern and roomy alternative to the cubicle lifestyle.



Cluster of 4 workstation features

- WORK TOP
White with black edging
- FABRIC SCREEN
Dark green and white board



Work top partition screen panels (Slot in concept) Available in several designs and in a variety of colors.



Bench Workstation

Linear cross 90 degree workstation is the solution to open offices where shared, non-hierarchical workspace is preferred.

This configuration allows a member to work independently.



Cluster of 8 workstation features

WORK TOP

White with black edging and black trap door

FABRIC SCREEN

Dark green and white board

Ordering Codes Y2

The beauty and simplicity of the Y2 system extends its appearance. The system is easy to order and assemble.

HOW TO ORDER?

- STEP 1: Select the Work Top size (includes frames with centralised cable trunking, cable tray and legs)
 STEP 2: Select the Work Top Screen
 STEP 3: Select Modesty Screen (optional)
 STEP 4: Select Side Screen (optional)
 STEP 5: Select accessories and storage (optional) can be found in "Standard Paris"

PRODUCT CODES

TABLE TOP




TABLE TOP SCREEN

Tackable Fabric Screen FTS 1100mm			Tackable Fabric Screen FTS 1200mm		
Y2-WPTSB1004TF For table length 1050	Y2-WPTSB1204TF For table length 1200	Y2-WPTSB1304TF For table length 1350	Y2-WPTSB1005TF For table length 1050	Y2-WPTSB1205TF For table length 1200	Y2-WPTSB1305TF For table length 1350
Y2-WPTSB1504TF For table length 1500	Y2-WPTSB1604TF For table length 1650	Y2-WPTSB1804TF For table length 1800	Y2-WPTSB1505TF For table length 1500	Y2-WPTSB1605TF For table length 1650	Y2-WPTSB1805TF For table length 1800
Tackable Fabric Screen FTS 1100mm (Table end to end)			Tackable Fabric Screen FTS 1200mm (Table end to end)		
Y2-WPTSBEF1004TF For table length 1050	Y2-WPTSBEF1204TF For table length 1200	Y2-WPTSBEF1304TF For table length 1350	Y2-WPTSBEF1005TF For table length 1050	Y2-WPTSBEF1205TF For table length 1200	Y2-WPTSBEF1305TF For table length 1350
Y2-WPTSBEF1504TF For table length 1500	Y2-WPTSBEF1604TF For table length 1650	Y2-WPTSBEF1804TF For table length 1800	Y2-WPTSBEF1505TF For table length 1500	Y2-WPTSBEF1605TF For table length 1650	Y2-WPTSBEF1805TF For table length 1800

Tackable Fabric With Accessory Rail Screen FTS 1100mm			Tackable Fabric With Accessory Rail Screen FTS 1200mm		
Y2-WPTSB1004A09TF For table length 1050	Y2-WPTSB1204A09TF For table length 1200	Y2-WPTSB1304A09TF For table length 1350	Y2-WPTSB1005A09TF For table length 1050	Y2-WPTSB1205A09TF For table length 1200	Y2-WPTSB1305A09TF For table length 1350
Y2-WPTSB1504A09TF For table length 1500	Y2-WPTSB1604A09TF For table length 1650	Y2-WPTSB1804A09TF For table length 1800	Y2-WPTSB1505A09TF For table length 1500	Y2-WPTSB1605A09TF For table length 1650	Y2-WPTSB1805A09TF For table length 1800
Tackable Fabric With Accessory Rail Screen FTS 1100mm (Table end to end)			Tackable Fabric With Accessory Rail Screen FTS 1200mm (Table end to end)		
Y2-WPTSBEF1004A09TF For table length 1050	Y2-WPTSBEF1204A09TF For table length 1200	Y2-WPTSBEF1304A09TF For table length 1350	Y2-WPTSBEF1005A09TF For table length 1050	Y2-WPTSBEF1205A09TF For table length 1200	Y2-WPTSBEF1305A09TF For table length 1350
Y2-WPTSBEF1504A09TF For table length 1500	Y2-WPTSBEF1604A09TF For table length 1650	Y2-WPTSBEF1804A09TF For table length 1800	Y2-WPTSBEF1505A09TF For table length 1500	Y2-WPTSBEF1605A09TF For table length 1650	Y2-WPTSBEF1805A09TF For table length 1800
Magnetic White Board FTS 1100mm			Magnetic White Board FTS 1200mm		
Y2-MWBTS1204 For table length 1200	Y2-MWBTS1304 For table length 1350	Y2-MWBTS1504 For table length 1500	Y2-MWBTS1205 For table length 1200	Y2-MWBTS1305 For table length 1350	Y2-MWBTS1505 For table length 1500
Y2-MWBTS1604 For table length 1650	Y2-MWBTS1804 For table length 1800		Y2-MWBTS1605 For table length 1650	Y2-MWBTS1805 For table length 1800	
Magnetic White Board FTS 1100mm (Table end to end)			Magnetic White Board FTS 1200mm (Table end to end)		
Y2-MWBTFEF1204 For table length 1200	Y2-MWBTFEF1304 For table length 1350	Y2-MWBTFEF1504 For table length 1500	Y2-MWBTFEF1205 For table length 1200	Y2-MWBTFEF1305 For table length 1350	Y2-MWBTFEF1505 For table length 1500
Y2-MWBTFEF1604 For table length 1650	Y2-MWBTFEF1804 For table length 1800		Y2-MWBTFEF1605 For table length 1650	Y2-MWBTFEF1805 For table length 1800	
Acrylic Screen Board FTS 1100mm			Acrylic Screen Board FTS 1200mm		
Y2-ABTS1204 For table length 1200	Y2-ABTS1304 For table length 1350	Y2-ABTS1504 For table length 1500	Y2-ABTS1205 For table length 1200	Y2-ABTS1305 For table length 1350	Y2-ABTS1505 For table length 1500
Y2-ABTS1604 For table length 1650	Y2-ABTS1804 For table length 1800		Y2-ABTS1605 For table length 1650	Y2-ABTS1805 For table length 1800	
Acrylic Screen Board FTS 1100mm (Table end to end)			Acrylic Screen Board FTS 1200mm (Table end to end)		
Y2-ABTSEF1204 For table length 1200	Y2-ABTSEF1304 For table length 1350	Y2-ABTSEF1504 For table length 1500	Y2-ABTSEF1205 For table length 1200	Y2-ABTSEF1305 For table length 1350	Y2-ABTSEF1505 For table length 1500
Y2-ABTSEF1604 For table length 1650	Y2-ABTSEF1804 For table length 1800		Y2-ABTSEF1605 For table length 1650	Y2-ABTSEF1805 For table length 1800	

MODESTY SCREEN

Modesty Screen					
Y2-4CMMS12 For table length 1200	Y2-4CMMS13 For table length 1350	Y2-4CMMS15 For table length 1500	Y2-4CMMS16 For table length 1650	Y2-4CMMS18 For table length 1800	

SIDE SCREEN



Side Screen FTS 1100mm		Side Screen FTS 1200mm	
Y2-TTMS1209FTF For table length 1200		Y2-TTMS1210FTF For table length 1200	

FTS: Floor to screen height

120 deg Workstation

120 degrees configurations provide maximum design flexibility with slot on table top screen and hook on modesty screen.

All cable routing is through centralised cable well and around the cable tray is lay-in, providing effective cable management.



120 degree workstation features

- WORK TOP
White with black edging
- FABRIC SCREEN
Dark blue

Work top partition screen panels (Slot in concept)

Available in several designs and in a variety of colors.



Tackable fabric screen




Tackable screen with accessory rail



Magnetic white board screen



Acrylic screen



WORK TOP
White with black edging and black trap door
FABRIC SCREEN
Yellow and green

Ordering Codes Y2

The beauty and simplicity of the Y2 system extends its appearance. The system is easy to order and assemble.


HOW TO ORDER?

- STEP 1: Select the Work Top size (includes frames with centralised cable trunking, cable tray and legs)
 STEP 2: Select the Work Top Screen
 STEP 3: Select Modesty Screen (optional)
 STEP 4: Select Side Screen (optional)
 STEP 5: Select accessories and storage (optional) can be found in "Standard Parts"


PRODUCT CODES

TABLE TOP

Y2-3-120DW106106-ETD-ML/LM
1050 x 600 1050 x 600



Y2-3-120DW126126-ETD-ML/LM
1200 x 600 1200 x 600



Y2-3-120DW136136-ETD-ML/LM
1350 x 600 1350 x 600




TABLE TOP SCREEN

Tackable Fabric Screen
FTS 1100mm

Y2-WPTSB1004TF For table length 1050
Y2-WPTSB1204TF For table length 1200
Y2-WPTSB1304TF For table length 1350

Tackable Fabric Screen
FTS 1100mm (Table end to end)

Y2-WPTSB1004TF For table length 1050
Y2-WPTSB1204TF For table length 1200
Y2-WPTSB1304TF For table length 1350

Tackable Fabric With Accessory Rail Screen
FTS 1100mm

Y2-WPTSB1004A09TF For table length 1050
Y2-WPTSB1204A09TF For table length 1200
Y2-WPTSB1304A09TF For table length 1350

Tackable Fabric With Accessory Rail Screen
FTS 1100mm (Table end to end)

Y2-WPTSB1004A09TF For table length 1050
Y2-WPTSB1204A09TF For table length 1200
Y2-WPTSB1304A09TF For table length 1350

Tackable Fabric Screen
FTS 1200mm

Y2-WPTSB1005TF For table length 1050
Y2-WPTSB1205TF For table length 1200
Y2-WPTSB1305TF For table length 1350

Tackable Fabric Screen
FTS 1200mm (Table end to end)

Y2-WPTSB1005TF For table length 1050
Y2-WPTSB1205TF For table length 1200
Y2-WPTSB1305TF For table length 1350

Tackable Fabric With Accessory Rail Screen
FTS 1200mm

Y2-WPTSB1005A09TF For table length 1050
Y2-WPTSB1205A09TF For table length 1200
Y2-WPTSB1305A09TF For table length 1350

Tackable Fabric With Accessory Rail Screen
FTS 1200mm (Table end to end)

Y2-WPTSB1005A09TF For table length 1050
Y2-WPTSB1205A09TF For table length 1200
Y2-WPTSB1305A09TF For table length 1350

Magnetic White Board
FTS 1100mm

Y2-MWBTS1004 For table length 1050
Y2-MWBTS1204 For table length 1200
Y2-MWBTS1304 For table length 1350

Magnetic White Board
FTS 1100mm (Table end to end)

Y2-MWBTS1004 For table length 1050
Y2-MWBTS1204 For table length 1200
Y2-MWBTS1304 For table length 1350

Acrylic Screen Board
FTS 1100mm

Y2-ABTS1004 For table length 1050
Y2-ABTS1204 For table length 1200
Y2-ABTS1304 For table length 1350

Acrylic Screen Board
FTS 1100mm (Table end to end)

Y2-ABTS1004 For table length 1050
Y2-ABTS1204 For table length 1200
Y2-ABTS1304 For table length 1350

Magnetic White Board
FTS 1200mm

Y2-MWBTS1005 For table length 1050
Y2-MWBTS1205 For table length 1200
Y2-MWBTS1305 For table length 1350

Magnetic White Board
FTS 1200mm (Table end to end)

Y2-MWBTS1005 For table length 1050
Y2-MWBTS1205 For table length 1200
Y2-MWBTS1305 For table length 1350

Acrylic Screen Board
FTS 1200mm

Y2-ABTS1005 For table length 1050
Y2-ABTS1205 For table length 1200
Y2-ABTS1305 For table length 1350

Acrylic Screen Board
FTS 1200mm (Table end to end)

Y2-ABTS1005 For table length 1050
Y2-ABTS1205 For table length 1200
Y2-ABTS1305 For table length 1350

MODESTY SCREEN

Modesty Screen

Y2-120DMS10 For table length 1050
Y2-120DMS12 For table length 1200
Y2-120DMS13 For table length 1350
Y2-120DMS16 For table length 1650

SIDE SCREEN

Side Screen
FTS 1100mm

Y2-TTMS1209FTF
For table length 1200

Side Screen
FTS 1200mm


Y2-TTMS1210FTF
For table length 1200



Modern Design Solutions

90 deg H Workstation

The team 90 degrees H workstation offers a modern and roomy alternative to the cubicle lifestyle.



Cluster of 4 workstation features

WORK TOP
White with black edging and black trap door

FABRIC SCREEN
Yellow and green

Work top partition screen panels (Slot in concept)

Available in several designs and in a variety of colors.



Tackable fabric screen




Tackable screen with accessory rail



Magnetic white board screen



Acrylic screen



WORK TOP
 White with black edging and black trap door
FABRIC SCREEN
 Yellow and green

Ordering Codes Y2

The beauty and simplicity of the Y2 system extends its appearance. The system is easy to order and assemble.


HOW TO ORDER?

- STEP 1: Select the Work Top size (includes frames with centralised cable trunking, cable tray and legs)
 STEP 2: Select the Work Top Screen
 STEP 3: Select Modesty Screen (optional)
 STEP 4: Select Side Screen (optional)
 STEP 5: Select Divider Screen (optional)
 STEP 6: Select accessories and storage (optional) can be found in "Standard Parts"


PRODUCT CODES

TABLE TOP


Y2-4H-90W156156-ETD-ML/LM
1500 x 600 1500 x 600




Y2-4H-90W186156-ETD-ML/LM
1850 x 600 1500 x 600




Y2-4H-90W186156-ETD-ML/LM
1800 x 900 1500 x 600




Y2-4H-90W156186-ETD-ML/LM
1500 x 600 1650 x 600




Y2-4H-90W186186-ETD-ML/LM
1650 x 600 1650 x 600




Y2-4H-90W186186-ETD-ML/LM
1800 x 900 1600 x 600



Y2-4H-90W156186-ETD-ML/LM
1650 x 600 1800 x 600



Y2-4H-90W186186-ETD-ML/LM
1800 x 600 1800 x 600



Y2-4H-90W186186-ETD-ML/LM
1500 x 600 1800 x 600




TABLE TOP SCREEN

Tackable Fabric Screen
FTS 1100mm

Y2-WPSSB1504TF
For table length 1500

Y2-WPSSB1604TF
For table length 1650

Y2-WPSSB1804TF
For table length 1800

Tackable Fabric Screen
FTS 1200mm

Y2-WPSSB1505TF
For table length 1500

Y2-WPSSB1605TF
For table length 1650

Y2-WPSSB1805TF
For table length 1800

Tackable Fabric Screen
FTS 1100mm (Table end to end)

Y2-WPSSBEF1504TF
For table length 1500

Y2-WPSSBEF1604TF
For table length 1650

Y2-WPSSBEF1804TF
For table length 1800

Tackable Fabric Screen
FTS 1200mm (Table end to end)

Y2-WPSSBEF1505TF
For table length 1500

Y2-WPSSBEF1605TF
For table length 1650

Y2-WPSSBEF1805TF
For table length 1800

Tackable Fabric With Accessory Rail Screen
FTS 1100mm

Y2-WPSSB1504A09TF
For table length 1500

Y2-WPSSB1604A09TF
For table length 1650

Y2-WPSSB1804A09TF
For table length 1800

Tackable Fabric With Accessory Rail Screen
FTS 1200mm

Y2-WPSSB1505A09TF
For table length 1500

Y2-WPSSB1605A09TF
For table length 1650

Y2-WPSSB1805A09TF
For table length 1800

Tackable Fabric With Accessory Rail Screen
FTS 1100mm (Table end to end)

Y2-WPSSB1504A09TF
For table length 1500

Y2-WPSSB1604A09TF
For table length 1650

Y2-WPSSB1804A09TF
For table length 1800

Tackable Fabric With Accessory Rail Screen
FTS 1200mm (Table end to end)

Y2-WPSSB1505A09TF
For table length 1500

Y2-WPSSB1605A09TF
For table length 1650

Y2-WPSSB1805A09TF
For table length 1800

Magnetic White Board
FTS 1100mm

Y2-MWBS1504
For table length 1500

Y2-MWBS1604
For table length 1650

Y2-MWBS1804
For table length 1800

Magnetic White Board
FTS 1200mm

Y2-MWBS1505
For table length 1500

Y2-MWBS1605
For table length 1650

Y2-MWBS1805
For table length 1800

Magnetic White Board
FTS 1100mm (Table end to end)

Y2-MWBTSEF1504
For table length 1500

Y2-MWBTSEF1604
For table length 1650

Y2-MWBTSEF1804
For table length 1800

Magnetic White Board
FTS 1200mm (Table end to end)

Y2-MWBTSEF1505
For table length 1500

Y2-MWBTSEF1605
For table length 1650

Y2-MWBTSEF1805
For table length 1800

Acrylic Screen Board
FTS 1100mm

Y2-ABTS1504
For table length 1500

Y2-ABTS1604
For table length 1650

Y2-ABTS1804
For table length 1800

Acrylic Screen Board
FTS 1200mm

Y2-ABTS1505
For table length 1500

Y2-ABTS1605
For table length 1650

Y2-ABTS1805
For table length 1800

Acrylic Screen Board
FTS 1100mm (Table end to end)

Y2-ABTSEF1504
For table length 1500

Y2-ABTSEF1604
For table length 1650

Y2-ABTSEF1804
For table length 1800

Acrylic Screen Board
FTS 1200mm (Table end to end)

Y2-ABTSEF1505
For table length 1500

Y2-ABTSEF1605
For table length 1650

Y2-ABTSEF1805
For table length 1800

MODESTY SCREEN

Modesty Screen

Y2-MMS12
For table length 1200

Y2-MMS13
For table length 1350

Y2-MMS15
For table length 1500

Y2-MMS16
For table length 1650

Y2-MMS18
For table length 1800

DIVIDER SCREEN

Divider Screen
FTS 1100mm

Y2-WPTDAS0603TF
For table length 600

Divider Screen
FTS 1200mm

Y2-WPTDAS0604TF
For table length 600

SIDE SCREEN

Side Screen
FTS 1100mm

Y2-TTMSE1509FTF
For table length 1500

Y2-TTMSE1609FTF
For table length 1650

Y2-TTMSE1809FTF
For table length 1800

Side Screen
FTS 1200mm


Y2-TTMSE1510FTF
For table length 1500

Y2-TTMSE1610FTF
For table length 1650


Y2-TTMSE1810FTF
For table length 1800

FTS: Floor to screen height

Configurations



Standard Parts



ACCESSORIES

ACCESSORY HOOK
FOR 18MM THICK SCREEN



X1-ACHK18

ACCESSORY HOOK
FOR 28MM THICK SCREEN



X1-ACHK28

Y2 CUSHION SEAT
FOR PEDESTAL



A-P-CUSHION-045120-38

Y2 CUSHION SEAT
FOR PEDESTAL



A-P-CUSHION-05038-38

HOOK



A-HOOK

CD HOLDER



A-CDHOLD

STATIONARY CADDY



A-STACADDY

A4 PAPER TRAY



A-AITRAY

HOOK ON MAGNETIC
WHITE BOARD



Y2-P-MWB0403
FOR 18MM THICK FABRIC SCREEN

Y2 OFF SCREEN NAME PLATE
SINGLE DOUBLE SIDE



Y2-OSNPSD18
FOR 18MM THICK FABRIC SCREEN
Y2-OSNPSD28
FOR 28MM THICK FABRIC SCREEN


Y2 OFF SCREEN NAME PLATE
DOUBLE DOUBLE SIDE



Y2-OSNPPD18
FOR 18MM THICK FABRIC SCREEN
Y2-OSNPPD28
FOR 28MM THICK FABRIC SCREEN


STORAGE

3 DRAWER MOBILE PEDESTAL
416 X 600 X 617



Y2-MP441206-NH-ML

2 DRAWER MOBILE PEDESTAL
380 X 500 X 651



Y2-MP61203-NH-ML

2 DRAWER MOBILE PEDESTAL
CADDY WITH OPEN SHELVES
1200 X 450 X 680



Y2-MPC51212-H-ML-R
Y2-MPC51212-H-ML-L

Standard Finishes



316 White beech

3995 Ivory


325 Maple



238 White wash

E9SM Rovere oak

088 Wenge



201 Dark grey

203 Light grey

Technical Specifications

Work tops

18mm thick European E1 grade melamine-faced particle board with 3mm thick impact resistant PVC edging. Finishes are scratch and abrasion resistant with a minimum density of 620 kg/mc ± 5%.

Frame structure, cable management

1.5mm square section steel for high torsion, rigidity and compressive strength. Steel are treated with environmental friendly power coating of minimum 50 microns.

Modesty screen

1mm perforated metal sheet treated with environmental friendly power coating of minimum 50 microns.

Screens

Tackable Fabric Screen / Side Screen

9mm thick European E1 grade particle board, both side pasted with 5mm thick durable plastic foam material made of Ethylene Vinyl Acetate [EVA] sheet, upholstered with fire resistance fabric, according to BS476 part 7 Class 1 standard.

Tackable Fabric Screen with Accessory Rail

9mm thick European E1 grade particle board, both side pasted with 5mm thick durable plastic foam material made of Ethylene Vinyl Acetate [EVA] sheet, upholstered with fire resistance fabric, according to BS476 part 7 Class 1 standard.

Aluminium extrusion for accessory rail using high grade alloy 6063-T5. Surface treated with a corrosion resistant anodizing layer of 10 microns for increased durability, scratch and chemical resistance.

Magnetic White Board Screen

A metal-infused sheet which is used over MDF (medium density fiberboard) on both sides with 3mm thick impact resistant vinyl edge steel are magnetic and allow the use of magnets.

Acrylic Screen

Made from 5mm Poly (methyl metacrylate) (PMMA), a thermoplastic, for light and shatter-resistant products.

Screen bracket made from nylon for strength and wear resistance using injection moulding process.

Cast legs

Made from high strength and lightweight aluminium alloy grade ADC-12 with satin polished finish using die casting process.

Storage

Made from 18mm thick melamine-faced chipboard employing folding carcass technology and KD fittings.

Brackets

1.5mm to 3mm thick steel using sheet metal bending for high rigidity and comprehensive strength. Steel is treated with environmental friendly power coating of minimum 50 microns.

Divider screens

30mm thick European E1 grade particle board, both side pasted with 5mm thick durable plastic foam material made of Ethylene Vinyl Acetate [EVA] sheet, upholstered with the fire resistance fabric, according to BS476 part 7 Class 1 standard.

Slot in acrylic panel is made from 5mm Poly (methyl methacrylate) (PMMA), a thermoplastic, for light and shatter-resistant products.



SINGAPORE
TECHNIGROUP
FAR EAST PTE LTD

OFFICE

No. 30, Tuas South Street 3,
Singapore 638028
Tel: 65 6897 7717
Fax: 65 6897 7727

SHOWROOM

No. 28, Tuas South Street 3,
Singapore 638028
Tel: 65 6536 8180

TECHNIGROUP.COM.SG

TECHNIGROUP

SINGAPORE
MALAYSIA
INDIA
THAILAND
INDONESIA
UAE
USA
AUSTRALIA

LICENSEES
CHINA
HONG KONG
JORDAN

INDIA

T SPACE PLANNING & SERVICES PVT. LTD.
technigroupintl@airtelbroadband.in

Mumbai Branch:

103/A, Deiphi Building,
Hiranandani Business Park,
Powai, Mumbai 400076
Maharashtra, India
Tel: 91 22 2570 4106 / 07, 4005 0064 / 171
Fax: 91 22 4005 0170

Pune Branch:

Falsh Centre, 302, 3rd floor,
Plot no. 82, S. No. 232,
Lohegaon, Sakore Nagar,
New Airport Road,
Pune 411 014
Maharashtra, India
Tel: 91 20 6400 7592
Fax: 91 20 6620 8083

Gurgaon Branch:

Unit No. 228, 2nd Floor, Vipul Agora,
Mehuli-Gurgaon (MG) Road,
Gurgaon (Haryana) 122 002.
Haryana, India
Tel: 91 124 428 8130 / 31
Fax: 91 124 428 8132

Bangalore Branch:

1st Floor, Atlantic Centre,
100 Ft. Road, 2007, Hal,
2nd Stage, Indira Nagar,
Bangalore 560 038.
Karnataka, India
Tel : 91 80 4152 3438 / 91 09880193931
Telefax: 91 80 4126 7288
E-Mail: technigroupblr@airtelmail.in

Hyderabad Branch:

H. No. 9-4-86/290 Salargung Colony,
Tolichowki Hyderabad 500008
Andhra Pradesh, India
Tel: 91 09966647000
Telefax: 91 80 4126 7288

AUSTRALIA

TECHNIGROUP AUSTRALIA PTY LTD
Sydney (Head Office – Australia)
Australia Post, Haymarket Post Shop
P.O. Box K469, Haymarket NSW 1240

INDONESIA

PT TECHNIGROUP INDONESIA
Menara Prima # 03-G,H,I
J.L.Lingkar Mega Kuningan Blok 6.2
Jakarta 12850
Tel: 6221 5794 8010
Fax: 6221 5794 8011

MALAYSIA

TECHNIGROUP OFFICE FURNITURE SDN BHD
Office Suite 19-15-2, Level 15, UOA Centre,
No. 19 Jalan Pinang 50450
Kuala Lumpur, Malaysia
Tel: 603 2162 6989
Fax: 603 2161 6989

THAILAND

TECHNIGROUP OFFICE FURNITURE CO LTD
399 Interchange 21 Building, 23rd Floor,
Sukhumvit Road, Klongtoey Nua,
Wattana, Bangkok 10110, Thailand
Tel: 662 259 4933
Fax: 662 259 4937

UNITED ARAB EMIRATES

TECHNIGROUP MIDDLE EAST FZCO
Plot No. MO 0427,
P.O.Box 17182
Jebel Ali Free Zone, Dubai UAE

UNITED STATES OF AMERICA

4935 East Hunter Ave, Anaheim, CA92807
Los Angeles, USA
Tel: 1 714 463 1600
Fax: 1 714 463 1650
www.technigroupusa.com

Technical Specifications

Work tops

18mm thick European E1 grade melamine-faced particle board with 3mm thick impact resistant PVC edging. Finishes are scratch and abrasion resistant with a minimum density of 620 kg/mc ± 5%.

Frame structure, cable management

1.5mm square section steel for high torsion, rigidity and compressive strength. Steel are treated with environmental friendly power coating of minimum 50 microns.

Modesty screen

1mm perforated metal sheet treated with environmental friendly power coating of minimum 50 microns.

Screens

Tackable Fabric Screen / Side Screen

9mm thick European E1 grade particle board, both side pasted with 5mm thick durable plastic foam material made of Ethylene Vinyl Acetate [EVA] sheet, upholstered with fire resistance fabric, according to BS476 part 7 Class 1 standard.

Tackable Fabric Screen with Accessory Rail

9mm thick European E1 grade particle board, both side pasted with 5mm thick durable plastic foam material made of Ethylene Vinyl Acetate (EVA) sheet, upholstered with fire resistance fabric, according to BS476 part 7 Class 1 standard.

Aluminium extrusion for accessory rail using high grade alloy 6063-T5. Surface treated with a corrosion resistant anodizing layer of 10 microns for increased durability, scratch and chemical resistance.

Magnetic White Board Screen

A metal-infused sheet which is used over MDF (medium density fiberboard) on both sides with 3mm thick impact resistant vinyl edge steel are magnetic and allow the use of magnets.

Acrylic Screen

Made from 5mm Poly (methyl metacrylate) (PMMA), a thermoplastic, for light and shatter-resistant products.

Screen bracket made from nylon for strength and wear resistance using injection moulding process.

Cast legs

Made from high strength and lightweight aluminium alloy grade ADC-12 with satin polished finish using die casting process.

Storage

Made from 18mm thick melamine-faced chipboard employing folding carcass technology and KD fittings.

Brackets

1.5mm to 3mm thick steel using sheet metal bending for high rigidity and comprehensive strength. Steel is treated with environmental friendly power coating of minimum 50 microns.

Divider screens

30mm thick European E1 grade particle board, both side pasted with 5mm thick durable plastic foam material made of Ethylene Vinyl Acetate [EVA] sheet, upholstered with the fire resistance fabric, according to BS476 part 7 Class 1 standard.

Slot in acrylic panel is made from 5mm Poly (methyl methacrylate) (PMMA), a thermoplastic, for light and shatter-resistant products.